



*Product Range*

# *Introduction*

MaxMeyer is a well established European brand with over 100 years of experience in the Car Refinish Industry. MaxMeyer has always been focused on the needs of the bodyshop and this drives the brand to develop robust technology, easy to use products that provide a long lasting durable repair.

- Stoppers
- Primers
- High Build Fillers & Surfacer
- Wet-on-Wet Undercoats & Sealers
- AquaMax®
- UHS Duralit® Extra
- MaxiCar® & DuralitCar®
- Compliant Clearcoats
- Non Compliant Clearcoats
- Plastics
- Additives & Ancillaries

# Stoppers



MaxMeyer provides a comprehensive range of easy to use stoppers. MaxMeyer stoppers can be used for filling large, deep surface irregularities and small repair areas. With a smooth and easy application on all major substrates (iron, aluminium, galvanized steel) and quick easy sanding MaxMeyer provides a bodyshop with a stopper for their every need.

When overcoated with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats followed by MaxMeyer topcoats a complete high quality repair is easily obtained.

1.838.2307 1K  
STARFLEX FIBER



A polyester reinforced fibreglass stopper with good bridging capabilities.

1.839.0565 1.34K  
FLEX 565



A fast drying 2 pack polyester stopper.

#### Hardeners

1.958.2303

Hardener for cans 2307 and 0565

1.831.3800 1.5K + C1.5K  
STOPPER 3800



A top quality multi purpose stopper suitable for all substrates. Easy to shape, non drip formula, quickly sandable making it the ideal solution for car refinishing.

1.831.3200 1.5K + C1.5K  
GENERAL PURPOSE STOPPER 3200



A general purpose top quality polyester knifing stopper suitable for sheet steel, aluminum and galvanized metal.

1.834.1800 1.5K + C1.5K  
SOFT PLUS



A 2 pack polyester stopper with good application characteristics combined with fast drying.

#### Hardeners

1.958.2303  
1.958.2400

Hardener for cans 3800 / 3200 / 1800  
Hardener for cartridges 3800 / 3200 / 1800

1.831.2700 1.4K  
UNIVERSAL LIGHT WEIGHT STOPPER 2700



A universal light weight top quality all purpose polyester stopper.

#### Hardeners

1.958.2505

Hardener for can 2700

1.832.4300 180g  
STOPPER 4300



An extra rapid 1K acrylic stopper used for fine leveling and thin applications. Available in a tube making it easy to use.

1.835.3300 1K  
STOPPER 3300



A nitrocellulose stopper used for filling fine imperfections on existing finishes.

1.834.1400 1.5K  
STOPPER 1400



A polyester stopper designed for filling small dents or scratches on plastic parts.



# Primers



MaxMeyer provides a range of easy to use primers that allow a bodyshop to achieve good adhesion and corrosion resistance on bare substrates (steel, aluminium, galvanized steel) A range of hardeners and thinners give the bodyshop flexibility to produce the highest quality of finish in all conditions. When overcoated with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats followed by MaxMeyer topcoats a complete high quality repair is easily obtained.

1.815.6020 1L + 4L  
ECOPHOS PRIMER



A 2K chromate free self-etching primer with high anti-corrosion properties providing excellent adhesion to bare metal.

**Hardeners**

1.955.6021 Normal Ecophos Hard

**Thinners**

1.911.4305 Rapid 2K Universal Thinner

1.855.9900 1L  
HP EPOXY PRIMER



A fast drying 2-pack epoxy primer for multi substrate repairs. Ideal for wet-on-wet application.

**Hardeners**

1.956.9500 Normal Hardener for HP Epoxy Primer

**Thinners**

1.911.4310 Normal 2K Universal Thinner

1.856.3504 3L  
EPOXY PRIMER



A 2-pack epoxy filler ideal for multi substrate repairs with good anti-corrosion properties, high build and easy sanding.

**Hardeners**

1.956.9310 Normal Hardener for Epoxy Primer 3504

**Thinners**

1.911.4305 Rapid 2K Universal Thinner For repairs up to 18°C  
1.911.4310 Normal 2K Universal Thinner For repairs between 18°C and 25°C  
1.911.4320 Slow 2K Universal Thinner For repairs above 25°C

1.880.2000 / 1.880.2006 0.4L  
HP PRIMER GREY M5 / DARK GREY M6



Aerosol primers designed for easy spot priming of 'break throughs' that have occurred during sanding giving a robust substrate that can be over coated directly with the finishing topcoat.

1.061.0074 1L  
MAXIBODY



A 1K over paintable stone chip protector giving an orange peel finish effect.

1.858.3300 1L  
PLASTOMAX (Polyester spray filler)



An extremely high build polyester spray filler designed for thick film repairs, offering fast drying and easy sanding.

**Hardeners**

1.952.4202 Normal Specific Hardener for Plastomax 3300

**Thinners**

1.935.1201 Normal Specific Thinner for Plastomax 3300

1.820.8200 1L  
2K WB EPOXY PRIMER



Waterborne epoxy primer designed for use with AquaMax and UHS Duralit Extra. Provides good adhesion to a wide range of substrates including paint films that are sensitive to solvents.

**Hardeners**

1.956.225 Normal Hardener for 2K WB Epoxy Primer

# High Build Fillers & Surfacers



MaxMeyer provides a full range of easy to use high build fillers and surfacers. These provide an essential element of a good paint system to ensure the MaxMeyer topcoat is applied to a smooth and level surface. Fillers are used to repair deeper repair areas whilst surfacers are used to level slight unevenness on the substrate. Both are easy to sand and apply and have a major influence on the subsequent paint system flow and final appearance.

A range of hardeners and thinners give the bodyshop flexibility to produce the highest quality of finish in all conditions.

When overcoated with MaxMeyer topcoats a complete high quality repair is easily obtained.

1.841.8700 / 1.841.8800 / 1.841.8900 3L  
HP FILLER LIGHT GREY / GREY / DARK GREY



The optimum high build primer providing fast drying and excellent sanding properties. Available in three multigrey shades it delivers both excellent opacity along with optimum hold out of topcoat.

1.856.3011 1L + 2.5L  
TOPFILLER HS GREY



User friendly, it is designed for use under MaxiCar / DuralitCar solventborne topcoats providing good all round performance.

1.856.4020 1L + 2L  
MS FILLER 4:1



A 2K primer based on proven technology that has good filling properties and is useful for both wet and dry sanding.

#### Hardeners

1.954.4000	Slow	MS Hardener	For repairs above 25°C
1.954.6000	Rapid	MS Hardener	For repairs between 18°C and 25°C
1.954.8000	Extra Rapid	MS Hardener	For repairs up to 18°C
1.954.9000	Super Rapid	MS Hardener	For touch up repairs up to 25°C

#### Thinners

1.911.4305	Rapid	2K Universal Thinner	For repairs up to 18°C
1.911.4310	Normal	2K Universal Thinner	For repairs between 18°C and 25°C
1.911.4320	Slow	2K Universal Thinner	For repairs above 25°C

1.820.2000 1L  
AQUAMAX HS FILLER



A ready for use waterborne 1K primer.

1.851.9291 1L + 3L  
MAXIFULL GREY



A 1K primer-surfacer featuring rapid drying and easy sanding properties.

#### Thinners

1.921.1205	Normal	Aromatic free nitro thinner
1.921.3205	Normal	Bilux nitro thinner

# Wet-on-Wet Undercoats & Sealers



MaxMeyer provides a full range of easy to use wet-on-wet undercoats and sealers. Designed to seal sanding marks and provide excellent adhesion between substrate and colour, MaxMeyer wet-on-wet undercoats and sealers provide a very fast painting process making them ideal for finishing new cathodic panels or new vehicle colour changes.

A range of hardeners and thinners give the bodyshop flexibility to produce the highest quality of finish in all conditions.

When overcoated with MaxMeyer topcoats a complete high quality repair is easily obtained.

1.841.8001 / 1.841.8004 / 1.841.8006 3L  
HIGH PRODUCTIVITY WOW PRIMER - WHITE M1 / GREY M4 / DARK GREY M6

RATIO  
1000  
250  
300

253V

A fast drying 2K wet-on-wet undercoat designed for use as a single visit application under AquaMax / UHS Duralit Extra topcoats. Available in three multigrey shades it delivers both excellent opacity along with optimum hold out of topcoat. Products are not suitable under MaxiCar and DuralitCar topcoats.

1.841.0310 1L  
BLITZSEALER GREY

RATIO  
1000  
300  
200-250

244V

A wet on wet primer with good adhesion designed for use under MaxiCar / DuralitCar topcoats. Ideal for painting new panels.

1.841.0204 1L  
CLEARSEALER 540

RATIO  
1000  
500  
200

250V

A multi purpose transparent sealer / adhesion promoter. Designed to seal porous substrates and provide excellent adhesion with minimal preparation making it ideal for vehicle colour changes.

#### Hardeners

1.954.4000	Slow	MS Hardener	For repairs above 25°C
1.954.6000	Rapid	MS Hardener	For repairs between 18°C and 25°C
1.954.8000	Extra Rapid	MS Hardener	For repairs up to 18°C
1.954.9000	Super Rapid	MS Hardener	For Touch up repairs up to 25°C

#### Thinners

1.911.4305	Rapid	2K Universal Thinner	For repairs up to 18°C
1.911.4310	Normal	2K Universal Thinner	For repairs between 18°C and 25°C
1.911.4320	Slow	2K Universal Thinner	For repairs above 25°C

# AquaMax

## Waterborne Basecoat



MaxMeyer AquaMax basecoat is an easy to use waterborne basecoat system for two and three stage repairs that delivers consistently good colour matches for all major car makes. Used for full panel and spot repairs AquaMax basecoat can be recoated with any clearcoat from the MaxMeyer range giving a good durable finish.

When used over repairs that have been easily prepared with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats MaxMeyer AquaMax basecoat with MaxMeyer clearcoats finishes a complete high quality repair.

### SERIES 500 0.5L + 1L + 2L AQUAMAX TINTERS



A non-stir waterborne mixing scheme comprising of solid colour, metallic, pearl and xirallic basecoat tinters which provide over 20,000 colour formulations. Accurate colour matches available for all major motor manufacturers colours.

#### Thinners

1.911.9910	AquaMax Thinner
1.911.9940	AquaMax HT Retarder Thinner

### 1.931.4501 5L AQUAMAX PRECLEANER



A waterborne precleaner designed to reduce organic solvent emissions. Suitable for the easy removal of contaminating agents from all paintable substrates.

### 1.936.1100 5L AQUAMAX GUNCLEANER



A waterborne guncleaner whose unique formula provides excellent cleaning capability.

### 1.975.3100 2.5K FLOCCULANT AGENT



A coagulating agent supplied in powder form suitable for the treatment of AquaMax waste cleaning water.



# UHS Duralit Extra

## Compliant direct gloss colour system



MaxMeyer UHS Duralit Extra is an easy to use compliant 2K acrylic direct gloss topcoat that delivers consistently good colour matches for all major car makes. UHS Duralit Extra provides excellent gloss and a durable finish.

A range of hardeners and thinners give the bodyshop flexibility to produce the highest quality of finish in all conditions.

When used over repairs that have been easily prepared with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats MaxMeyer UHS Duralit Extra finishes a complete high quality repair.

### SERIES 150 1L + 3.5L UHS DURALIT EXTRA TINTERS



An ultra high solids direct gloss solventborne mixing scheme that is fully compliant with European environmental legislation. A compact range of tinters provides a comprehensive DG colour offer. The ultra high solids nature of the tinters provides significantly lower product usage compared to conventional solventborne direct gloss.

#### Hardeners

1.954.2860	Medium	UHS Hardener 2860	Partial and total respray under 25°C
1.954.2870	Rapid	UHS Hardener 2870	For repairs between 18°C and 25°C
1.954.2880	Extra rapid	UHS Hardener 2880	For Touch up repairs up to 25°C

#### Thinners

1.911.2810	Normal	Total resprays and spot repairs under 25°C
1.911.2820	Slow	Total repairs over 25°C

### 1.841.0550 1L ENGINE BAY ADDITIVE



Engine Bay Additive is used with UHS Duralit Extra, and is designed to simplify and speed up engine bay repairs. Provides an accurate match for engine bay colours and a recoatable, wet-on-wet, surfacer to all external areas that need topcoating.



# MaxiCar & DuralitCar



MaxMeyer MaxiCar basecoat is an easy to use high solid solventborne basecoat system for two and three stage repairs that delivers consistently good colour matches for all major car makes. Used for full panel and spot repairs MaxiCar basecoat can be recoated with any clearcoat from the MaxMeyer range giving a good durable finish.

When used over repairs that have been easily prepared with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats MaxMeyer MaxiCar basecoat with MaxMeyer clearcoats finishes a complete high quality repair.

MaxMeyer DuralitCar is an easy to use 2K acrylic direct gloss topcoat that delivers consistently good colour matches for all major car makes. DuralitCar provides excellent gloss and a durable finish.

A range of hardeners and thinners give the bodyshop flexibility to produce the highest quality of finish in all conditions.

When used over repairs that have been easily prepared with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats MaxMeyer DuralitCar finishes a complete high quality repair.

## SERIES 180 1L + 3L MAXICAR TINTERS



A conventional solventborne mixing scheme based on proven reliable technology comprising of a full range of solid colour, metallic, pearl and xirallic basecoat tinters. An extensive colour range provides colour formulations for all motor manufacturers colours going back a significant number of years.

### Thinners


1.911.4305	Rapid	2K Universal Thinner	For repairs up to 18°C
1.911.4310	Normal	2K Universal Thinner	For repairs between 18°C and 25°C
1.911.4320	Slow	2K Universal Thinner	For repairs above 25°C

## 1.975.1201 1L AD 1201



MaxiCar additive to simplify the fade out process, specifically designed for high aluminum colours.

## SERIES 100 1L + 3L DURALITCAR TINTERS



A full range of solventborne direct gloss tinters providing an extensive colour range. Designed to be used in combination with MaxiCar to provide a complete DG & BC mixing scheme.

### Hardeners

1.954.4000	Slow	MS Hardener	For repairs above 25°C
1.954.6000	Rapid	MS Hardener	For repairs between 18°C and 25°C
1.954.8000	Extra Rapid	MS Hardener	For repairs up to 18°C
1.954.9000	Super Rapid	MS Hardener	For Touch up repairs up to 25°C

### Thinners

1.911.4305	Rapid	2K Universal Thinner	For repairs up to 18°C
1.911.4310	Normal	2K Universal Thinner	For repairs between 18°C and 25°C
1.911.4320	Slow	2K Universal Thinner	For repairs above 25°C

# Compliant Clearcoats



MaxMeyer provides an easy to use range of UHS compliant clearcoats that have been developed to meet European environmental legislation. The ultra high solids nature of these clearcoats means significantly less volume is used compared to conventional clearcoats when carrying out an identical repair. Easy and robust application coupled with a high gloss final appearance gives the bodyshop flexibility to produce a high quality durable finish on any type of job (spot repair, full panel, total re-spray).

A range of hardeners and thinners give the bodyshop flexibility to produce the highest quality of finish in all conditions.

When used over repairs that have been easily prepared with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats and MaxMeyer AquaMax basecoat, MaxMeyer UHS clearcoats finish a complete high quality repair.

1.360.0350 1L + 5L  
LOW VOC UHS CLEAR



The optimum performing 2K UHS clearcoat providing superior application properties and excellent final appearance. Can be used for spot-repair, full panel, or total respray depending on the choice of hardener.

1.360.0340 1L + 5L  
UHS CLEAR



A 2K UHS clearcoat ideal for customers wanting excellent durability. Can be used for spot-repair, full panel, or total respray depending on the choice of hardener.

1.360.0950 1L + 5L  
HIGH PRODUCTIVITY 2K UHS ACRYLIC CLEAR



Ideal for customers looking for a fast drying, high quality clearcoat specifically developed for repairs on 1 - 3 panels.

#### Hardeners

1.954.2850	Infra Red	Recommended for gas infra red drying.
1.954.2860	Normal	Partial and total respray under 25°C.
1.954.2870	Rapid	Spot and full panel repair.
1.954.2880	Extra Rapid	Only suitable for use below 25°C and on small areas where a high gloss finish is not required.

#### Thinners

1.911.2510	Normal	Spot repair and full panel under 25°C.
1.911.2520	Slow	Full panel and total respray.
1.911.2530	Extra Slow	Higher temperature applications.
1.921.6050	Catalyst	For touch up repairs up to 25°C

1.360.0300 1L + 5L  
HIGH SOLIDS CLEARCOAT



A UHS clearcoat with a dedicated hardener ideal for customers wanting good drying properties in a variety of conditions.

#### Hardeners

1.954.2710	Slow	For repairs above 25°C
1.954.2720	Normal	For repairs between 18°C and 25°C
1.954.2730	Rapid	For repairs up to 18°C

1.360.0700 1L  
MAT CLEAR



A dedicated 2K clearcoat that provides a uniform matt finish.

#### Hardeners

1.954.4000	Slow	MS Hardener	For repairs above 25°C
1.954.6000	Rapid	MS Hardener	For repairs between 18°C and 25°C
1.954.8000	Extra Rapid	MS Hardener	For repairs up to 18°C
1.954.9000	Super Rapid	MS Hardener	For touch up repairs up to 25°C

#### Thinners

1.911.4305	Rapid	2K Universal Thinner	For repairs up to 18°C
1.911.4310	Normal	2K Universal Thinner	For repairs between 18°C and 25°C
1.911.4320	Slow	2K Universal Thinner	For repairs above 25°C

# Non Compliant Clearcoats



MaxMeyer provides an easy to use range of clearcoats that allows the bodyshop to complete all the jobs required (spot repair, full panel, total re-spray). Easy and robust application coupled with a high gloss final appearance gives the bodyshop flexibility to produce the highest quality of finish.

A range of hardeners and thinners give the bodyshop flexibility to produce the highest quality of finish in all conditions.

When used over repairs that have been easily prepared with MaxMeyer high build fillers, surfacers or wet-on-wet undercoats and MaxiCar basecoat, MaxMeyer clearcoats finish a complete high quality repair.

1.360.0200 1L + 5L  
MAXICLEAR HS



A 2K HS clearcoat designed for customers wanting the ultimate in all round application and final finish properties for use over MaxiCar.

1.360.0440 1L + 5L  
SUPERLACK MS



An MS clearcoat with good all round performance designed for use over MaxiCar.

1.360.0500 1L + 5L  
MAXILACK 2K CLEAR



An easy to use economical 2K clearcoat designed for use over MaxiCar.

1.360.0700 1L  
MAT CLEAR



A dedicated 2K clearcoat that provides a uniform matt finish.

#### Hardeners

1.954.4000	Slow	MS Hardener	For repairs above 25°C
1.954.6000	Rapid	MS Hardener	For repairs between 18°C and 25°C
1.954.8000	Extra Rapid	MS Hardener	For repairs up to 18°C
1.954.9000	Super Rapid	MS Hardener	For touch up repairs up to 25°C

#### Thinners

1.911.4305	Rapid	2K Universal Thinner	For repairs up to 18°C
1.911.4310	Normal	2K Universal Thinner	For repairs between 18°C and 25°C
1.911.4320	Slow	2K Universal Thinner	For repairs above 25°C

1.360.0900 1L + 5L  
HP CLEAR



Ideal for customers looking for a fast drying, high quality clearcoat for use over MaxiCar specifically developed for repairs on 1-3 panels.

#### Hardeners

1.954.8000	Extra Rapid	MS Hardener	For repairs up to 18°C
1.954.9000	Super Rapid	MS Hardener	For touch up repairs up to 25°C

#### Thinners

1.911.4305	Rapid	2K Universal Thinner	For repairs up to 18°C
1.911.4310	Normal	2K Universal Thinner	For repairs between 18°C and 25°C



# Plastics



MaxMeyer provides a comprehensive and easy solution to the complex nature of the repair of plastics. From anti-static cleaners through primers to specialist matt and texture repairs MaxMeyer ensures that the bodyshop has a simple system to ensure a high quality repair.

1.931.4000 1L  
ANTISTATIC AGENT



Formulated to remove the build up of static electricity prior to the painting of plastic parts.

1.823.1500 1L  
1K PLASTIPRIMER



A 1K primer for use on most plastics except PC, ABS and PUR.

1.880.1600 0,4L  
1K PLASTIPRIMER AEROSOL



A 1K aerosol primer ideal for spot priming break throughs on plastic repairs.

1.823.1350 1L  
1K PRIMER FOR SENSITIVE PLASTICS



A 1K primer specifically for use on solvent sensitive plastics, such as PC, ABS and PUR.

1.975.5500 / 1.975.5501 1L  
TEXTURE ADDITIVE FINE / COARSE



Provides a low gloss textured effect when mixed with UHS Duralit Extra. Available in two versions fine and coarse.

1.977.5502 1L  
MATTING PASTE (MAT 5)



Can be added to UHS topcoats to provide a matt finish.

1.975.1208 0,5L  
PLASTICIZING ADDITIVE



A plasticizing additive that can be added to both topcoats and clearcoats to provide good adhesion over flexible plastics.

1.975.5400 / 1.975.5401 1L  
TEXTURE ADDITIVE FINE / COARSE



Provides a low gloss textured effect when mixed with DuralitCar / MaxiCar topcoats. Available in two versions fine and coarse.

1.977.3302 1L  
MATTING PASTE (MAT 3)



Can be added to DuralitCar / MaxiCar topcoats to provide a matt finish.

1.931.3600 1L  
PLASTICS CLEANER



A product that effectively removes contaminants and ensures easy cleaning of plastic parts.

# Additives & Ancillaries



MaxMeyer provides a comprehensive and easy to use range of additives and ancillaries. These compliment and enhance the performance of the MaxMeyer paint system from professional preparation through to ease of fade-out of the final repair.

1.975.1200 1L  
MAXIFIX

422

A ready to spray additive that provides an excellent foundation ensuring high quality fade outs are easily achieved under MaxiCar.

1.975.2341 0.5L  
ANTISILICON ADDITIVE

411V



An additive designed for use when 'fisheye' contamination of topcoat becomes evident. 0.5% / 2% by volume.

1.975.2370 0.25L  
AD 2370

RATIO  
1000  
5-10

417V



An additive designed to reduce the drying times of topcoats and clearcoats by up to 30%.

1.977.2500 1L  
MC 80 CONVERTER

RATIO  
1000  
1000  
2000

401V



An additive used to give DuralitCar colours air dry capability.

#### Thinners

1.921.1205	Aromatic free nitro Thinner
1.921.3205	Bilux nitro Thinner
1.911.5405	2K Universal Thinner

4.061.0061 / 4.061.0062 4L + 20L  
SOUND DEADENING UNDERSEAL

415V



This product is a non over paintable 1K protector, with orange peel effect. Used for non visible body parts giving good anticorrosion protection.

1.912.5410 0.4L  
FADE OUT THINNER AEROSOL

486V



Fade Out Thinner 5410 in an aerosol, offers a simple and easy fade out process that has excellent overspray wetting properties, giving a high gloss and high quality finish to the fade out process.

1.931.1000 25L  
GUNCLEANER

440V



Gun cleaner based on primary high quality solvents for effective cleaning of mixing and spraying equipment.

1.931.3600 1L + 5L  
DEGREASER 3600

416V



Solvent based pre cleaner designed for removing contaminates immediately prior to painting.



[www.maxmeyer.com](http://www.maxmeyer.com)

